

HANSA Filter drier Triplex® 50bar flare connection 7/8"-14UNF 2106316050



Product short description:

Filter drier Triplex® 50bar flare connection
7/8"-14UNF fits tube size 16 mm | 5/8"
50 bar

Fits OEM:

008340969
023Z0189
240601026
42533857
500383109
544027
70111
70112
70115
7030210
82591A
A0008340969
H14000029
Carrier-Sutrak 70112, 70115
Carrier 24.06.01.026
Iveco 42533857
Konvekta H14-000-029
24.06.01.026
Buscomfort 1.10.20.10.002

Dimension (LxWxH): 225x95x95 mm

Weight: 1,69 kg

Part-No.: 2106316050

Made in Germany

Product codes:

Reference: 2106316050

EAN13: 4251692910009

Product description:

Triplex® Filter Dryer for liquid refrigerants, Optimised mixture of molecular sieve and activated aluminium oxide.

- Temperature range: -40°C +120°C
- max. operating pressure: 50 bar
- high water absorption capacity
- high acid absorption capacity
- Fine filtration up to 15 micron
- Steel housing, Closed design
- 3-fold filtration by granulate block, filter fleece and brass mesh filter
- CE-marking according to PED 97/23 EC not required
- R290 Propane suitable: yes
- R744 CO2 suitable: yes
- R717 Ammonia suitable: yes (ensure correct seal)

Product features:

Material design: Steel

Connection type: Flare

Connection: 7/8"-14UNF

Fits: Ø 16mm

Fits: 5/8"

Product attributes:

