


HANSA Changeover valve G1/2" 130 bar 2445002550



Product short description:

Changeover valve for KSV/ÜSV 12.5 mm | G1/2"
130 bar
130 bar R744 CO²
Dimension (LxWxH): 135x30x112 mm
Weight: 0,86 kg
Part-No.: 2445002550

Made in Germany

Product codes:

Reference: 2445002550
EAN13: 4251692920695

Product description:

Design

3-way changeover-valve with BSP G 1/2" connector

Inlet A

G 1/2"

Outlet B

G 1/2"

Length H

135 mm

Weight

0,79 kg

Coating: Zn12/A/T2 acc. DIN EN ISO 2081

Conformity
Standards and

Category IV - Modul B+F (2014/68 EU)
DIN EN 378, AD 2000-Richtlinie, VdTÜV-
Information,
DIN EN ISO 4126-1, Richtlinie 2014/68 EU

Specification

Suitable for

Fluids Group 1 (Please check in detail) & Group 2
respectively safety class A2L.

All common refrigerants like e.g. HFC, HFO, CFC

NO NH3

Suitable for R290 and R744.

Optionales Zubehör:

Connector 2700509050 G1/2" | G1/2" 42mm

Copper seal 2776854050 14x18x1 mm
Connector 2700514050 G1/2" | G1/2" 62mm

Product features:

Authorised refrigerants: R463A
Authorised refrigerants: R421B
Authorised refrigerants: R290
Authorised refrigerants: R30
Authorised refrigerants: R442A
Authorised refrigerants: R407E
Authorised refrigerants: R464A
Authorised refrigerants: R422A
Authorised refrigerants: R600A
Authorised refrigerants: R123
Authorised refrigerants: R448A
Authorised refrigerants: R407F
Authorised refrigerants: R407G
Authorised refrigerants: R466A
Authorised refrigerants: R422B
Authorised refrigerants: R124
Authorised refrigerants: R449B
Authorised refrigerants: R408A
Authorised refrigerants: R468A
Authorised refrigerants: R422C
Authorised refrigerants: R245fa
Authorised refrigerants: R449C
Authorised refrigerants: R409A
Authorised refrigerants: R471A
Authorised refrigerants: R422D
Authorised refrigerants: R401B
Authorised refrigerants: R449A
Authorised refrigerants: R409B
Authorised refrigerants: R513B
Authorised refrigerants: R422E
Authorised refrigerants: R401C
Authorised refrigerants: R450A
Authorised refrigerants: R410A
Authorised refrigerants: R513A
Authorised refrigerants: R423A

Authorised refrigerants: R401A
Authorised refrigerants: R452B
Authorised refrigerants: R410B
Authorised refrigerants: R514A
Authorised refrigerants: R424A
Authorised refrigerants: R402A
Authorised refrigerants: R452C
Authorised refrigerants: R414A
Authorised refrigerants: R515A
Authorised refrigerants: R425A
Authorised refrigerants: R402B
Authorised refrigerants: R452A
Authorised refrigerants: R414B
Authorised refrigerants: R744
Authorised refrigerants: R426A
Authorised refrigerants: R403A
Authorised refrigerants: R453A
Authorised refrigerants: R416A
Authorised refrigerants: R1233zd(E)
Authorised refrigerants: R427A
Authorised refrigerants: R407H
Authorised refrigerants: R456A
Authorised refrigerants: R417A
Authorised refrigerants: R1234ze(E)
Authorised refrigerants: R427B
Authorised refrigerants: R407I
Authorised refrigerants: R458A
Authorised refrigerants: R417B
Authorised refrigerants: R1336mzz(E)
Authorised refrigerants: R428A
Authorised refrigerants: R407A
Authorised refrigerants: R460A
Authorised refrigerants: R460B
Authorised refrigerants: R417C
Authorised refrigerants: R1336mzz(Z)
Authorised refrigerants: R434A
Authorised refrigerants: R407B
Authorised refrigerants: R460C
Authorised refrigerants: R420A
Authorised refrigerants: R455A
Authorised refrigerants: R134a
Authorised refrigerants: R437A
Authorised refrigerants: R407C

Authorised refrigerants: R461A

Authorised refrigerants: R421A

Authorised refrigerants: R454C

Authorised refrigerants: R22

Authorised refrigerants: R438A

Authorised refrigerants: R407D

Product attributes:

