


HANSA Changeover valve 3x G1/2" union nut 130bar WSV 2445012050



HANSA 2445012550
HANSA 2445012555

Product short description:

Changeover valve 3x G 1/2" union nut | 130bar

With 3 copper sealing rings

130 bar R744 CO²

Dimension (LxWxH): xx mm

Weight: kg

Part-No.: 2445012050

Product codes:

Reference: 2445012550

EAN13: 4251692920886

Product description:

Design

3-way changeover-valve with BSP G 1/2"
conenctor

Inlet A

G 1/2"

Outlet B

G 1/2"

Lenght H

135 mm

Weight

0,79 kg

Coating: Zn12/A/T2 acc. DIN EN ISO 2081

Conformity

Category IV - Modul B+F (2014/68 EU)

Standards and

DIN EN 378, AD 2000-Richtlinie, VdTÜV-
Information,

Specification

DIN EN ISO 4126-1, Richtlinie 2014/68 EU

Suitable for

Fluids Group 1 (Please chack in detail) & Group 2
respectivly safety class A2L.

All coomon refrigerants like e.g. HFC, HFO, CFC

NO NH3

Optionales Zubehör:

Suitable for R290 and R744.

Connector 2700509050 G1/2" | G1/2" 42mm

Copper seal 2776854050 14x18x1 mm

Connector 2700514050 G1/2" | G1/2" 62mm

Product features:

Material design: Steel

Connection: G1/2"

Pressure range: 130 bar

Authorised refrigerants: R452C

Authorised refrigerants: R410B

Authorised refrigerants: R514A

Authorised refrigerants: R424A

Authorised refrigerants: R402A

Authorised refrigerants: R452A

Authorised refrigerants: R414A

Authorised refrigerants: R515A

Authorised refrigerants: R425A

Authorised refrigerants: R402B

Authorised refrigerants: R453A

Authorised refrigerants: R414B

Authorised refrigerants: R744

Authorised refrigerants: R426A

Authorised refrigerants: R403A

Authorised refrigerants: R407H

Authorised refrigerants: R456A

Authorised refrigerants: R416A

Authorised refrigerants: R1233zd(E)

Authorised refrigerants: R427A

Authorised refrigerants: R407I

Authorised refrigerants: R458A

Authorised refrigerants: R417A

Authorised refrigerants: R1234ze(E)

Authorised refrigerants: R427B

Authorised refrigerants: R407A

Authorised refrigerants: R460A


Authorised refrigerants: R417B

Authorised refrigerants: R1336mzz(E)


Authorised refrigerants: R428A
Authorised refrigerants: R407B
Authorised refrigerants: R460B
Authorised refrigerants: R417C
Authorised refrigerants: R1336mzz(Z)
Authorised refrigerants: R434A
Authorised refrigerants: R407C
Authorised refrigerants: R460C
Authorised refrigerants: R420A
Authorised refrigerants: R455A
Authorised refrigerants: R134a
Authorised refrigerants: R437A
Authorised refrigerants: R407D
Authorised refrigerants: R461A
Authorised refrigerants: R421A
Authorised refrigerants: R454C
Authorised refrigerants: R22
Authorised refrigerants: R438A
Authorised refrigerants: R407E
Authorised refrigerants: R463A
Authorised refrigerants: R421B
Authorised refrigerants: R290
Authorised refrigerants: R30
Authorised refrigerants: R442A
Authorised refrigerants: R407F
Authorised refrigerants: R464A
Authorised refrigerants: R422A
Authorised refrigerants: R600A
Authorised refrigerants: R123
Authorised refrigerants: R448A
Authorised refrigerants: R407G
Authorised refrigerants: R466A
Authorised refrigerants: R422B
Authorised refrigerants: R124
Authorised refrigerants: R449B
Authorised refrigerants: R408A
Authorised refrigerants: R468A
Authorised refrigerants: R422C
Authorised refrigerants: R245fa
Authorised refrigerants: R449C
Authorised refrigerants: R449A
Authorised refrigerants: R409A
Authorised refrigerants: R471A

Authorised refrigerants: R422D
Authorised refrigerants: R401B
Authorised refrigerants: R450A
Authorised refrigerants: R409B
Authorised refrigerants: R513B
Authorised refrigerants: R422E
Authorised refrigerants: R401C
Authorised refrigerants: R452B
Authorised refrigerants: R410A
Authorised refrigerants: R513A
Authorised refrigerants: R423A
Authorised refrigerants: R401A

Product attributes:



HANSA 2445012050



HANSA 2445012050

