
HANSA Solder socket 7/16''-20UNF SET w valve insert and cap 2730805050



HANSA 2730805050

Product short description:

Solder socket 7/16''-20UNF with valve insert and cap fits tube size 6 mm | 1/4''
Socket acc. to DIN 8919
Dimension (LxWxH): xx mm
Weight: 0,028 kg
Part-No.: 2730805050

Made in Germany

Product codes:

Reference: 2730805050
EAN13: 4251692914526

Product description:

Material acc DIN EN12164: CW614N brass

Operating pressure rang up to 140bar with mounted cap and suitable copper tube.
Without cap operating pressure up to 48 bar.

Operating temperature range -40°C to 110°C (shortterm +130°C)

Tightening torque of valve insert: 0,4 to 0,8 Nm

Approved refrigerants: HFC / PFC / CFC / HC e.g. R1234yf, R1234ze, R290, R32, R410a, R513a, R454B, R454C, R744a (up to the mentioned max. Operating pressure).
NO refrigerants containing NH3 (Ammonia).

Product features:

Material design: Brass
Connection: 7/16-20UNF
Fits: 1/4''

Hansa Kältetechnik GmbH
Langenwiedenweg 111
D-59457 Werl / Deutschland
Telefon: +49 2922 86665-0
Fax: +49 2922 86665-284
E-Mail: info@hansakaelte.de

© 2024 HANSA Kältetechnik GmbH

Fits: Ø 6mm

Product attributes:

Hansa Kältetechnik GmbH
Langenwiedenweg 111
D-59457 Werl / Deutschland
Telefon: +49 2922 86665-0
Fax: +49 2922 86665-284
E-Mail: info@hansakaelte.de

© 2024 HANSA Kältetechnik GmbH

Hansa Kältetechnik GmbH
Langenwiedenweg 111
D-59457 Werl / Deutschland

Telefon: +49 2922 86665-0
Fax: +49 2922 86665-284
E-Mail: info@hansakaelte.de

© 2024 HANSA Kältetechnik GmbH

Hansa Kältetechnik GmbH
Langenwiedenweg 111
D-59457 Werl / Deutschland

Telefon: +49 2922 86665-0
Fax: +49 2922 86665-284
E-Mail: info@hansakaelte.de

© 2024 HANSA Kältetechnik GmbH