HANSA Valve core "Typ Schrader" green 53bar | 150°C VE 2776953050



HANSA 2276953050

Product short description:

Valve core "Typ Schrader" green 53bar | 150°C

Threat 5V1 according to ISO 4570

Dimension (LxWxH): 20x4x4 mm
Weight: 0,001 kg
Part-No.: 2776953050

Product codes:

Reference: 2776953050
EAN13: 4251692918821

Product description:

Designation:	Valve insert 53 bar
Order number:	2776953050
Drawing:	A022019
Valve tappet material:	Brass (nickel-plated)
Thread material:	Brass (nickel-plated)
Housing material:	Brass (nickel-plated)
Material of plunger cap:	Brass (nickel-plated)
Housing seal material	PTFE
Housing seal colour	Green
Material of valve seal	HNBR
Operating pressure up to:	53 bar
Temperature range:	-40°C to +150°C
Opening stroke:	0.5 min / 2.7 max
Dimensions Length:	20 mm max.
Thread	5V1 (Ø 5.2 x 0.705) ISO 4570
Recommended tightening torque:	0.23-0.56 Nm
Approved refrigerants:	HFC / PFC / CFC / KW / R744 / R290
Approved for use with:	PAG and POE oil
or for fluids in group	1 & 2

Hansa Kältetechnik GmbH
Langenwiedenweg 111
D-59457 Werl / Deutschland
Telefon: +49 2922 86665-0
Fax: +49 2922 86665-284
E-Mail: info@hansakaelte.de

© 2024 HANSA Kältetechnik GmbH

or safety groups	A2L and A3
Exceptions	*None Refrigerants containing NH3*
Drawing available	Yes
Data sheet available	Yes


Product features:

Connection type: Thread
Connection: 5V1

Product attributes:

Hansa Kältetechnik GmbH
Langenwiedenweg 111
D-59457 Werl / Deutschland
Telefon: +49 2922 86665-0
Fax: +49 2922 86665-284
E-Mail: info@hansakaelte.de

© 2024 HANSA Kältetechnik GmbH



HANSA 2276953050

Hansa Kältetechnik GmbH
Langenwiedenweg 111
D-59457 Werl / Deutschland
Telefon: +49 2922 86665-0
Fax: +49 2922 86665-284
E-Mail: info@hansakaelte.de

© 2024 HANSA Kältetechnik GmbH