

HANSA Filter drier Triplex® 55bar O-ring connection 16mm 5/8" - 18UNF (NSN 4130-12-331-6763)_2805609050



Product short description:

Filter drier Triplex® 55bar O-ring connection
16mm 5/8" - 18UNF (NSN 4130-12-331-6763)
55 bar
Dimension (LxWxH): xx mm
Weight: 0,77 kg
Part-No.: 2805609050

Made in Germany

Product codes:


Reference: 2805609050
EAN13: 4251692915332

Product description:

Triplex® Filter Dryer for O-Ring, 16mm 5/8"-18UNF, (NSN 4130-12-331-6763) for liquid refrigerants, Optimised mixture of molecular sieve and activated aluminium oxide. Technical details of the filter drier: Volume: Connection: 5/8"-18" UNF Temperature range: -40°C +120°C max. operating pressure: 60 bar high water absorption capacity high acid absorption capacity Fine filtration up to 15 micron Steel housing Closed design 3-fold filtration by granulate block, filter fleece and brass mesh filter CE-marking according to PED 97/23 EC not required Water absorption: _____ gr depending on refrigerant and operating conditions Recommended for system size: _____ kw depending on refrigerant R290 Propane suitable: yes R744 CO2 suitable: yes R717 Ammonia suitable: yes (ensure correct seal) Dimensions (LxWxH): 179 x 75 x 75 mm Weight: 0,77 kg Article no.: 2805609050 Made in Germany

Product features:

Product attributes:



HANSA Filtertrockner / Filter drier



Symbolfoto / Placeholder