

## HANSA Filter drier sight glass combination w indicator HM052 FI 6 mm | 1/4"\_2837806050

### Product short description:

Filter drier sight glass combination w indicator  
HM052 FI 6 mm | 1/4"

60 bar

Dimension (LxWxH): 189x52x52 mm

Weight: 0,434 kg

Part-No.: 2837806050

NSN: 6680123422150

Made in Germany

### Product codes:

Reference: 2837806050

EAN13: 4251692915738

### Product description:

Multiplex sight glass combi with indicator

Filter drier for liquid refrigerants, optimum mixture of molecular sieve and activated aluminium oxide

Technical details of the filter drier:

- Temperature range: -40°C +120°C
- Max. operating pressure: 60 bar
- High water absorption capacity
- High acid absorption capacity
- Ultra-fine filtration up to 15 micron
- Steel housing
- Closed design
- 3-fold filtration through granulate block, filter fleece and brass mesh filter
- CE marking according to PED 97/23 EC not required
- R290 Propane suitable: yes
- R744 CO2 suitable: yes

---

Approved refrigerants: HFC / PFC / CFC / HC / R744 / R290  
except of NH3 containing refrigerants.

Sight glass housing material: brass (acc DIN EN12164)

Typ SG: Indicates the lack of cooling agent in the refrigeration system. Large visible surface in all versions.

## **Product features:**

## **Product attributes:**



