

HANSA Filter drier sight glass combination w indicator HM083 5/8"-18UNF HMK 2837810050



Product short description:

Filter drier sight glass combination w indicator
HM083 5/8"18UNF fits tube size 10 mm | 3/8"
Operation pressure 60 bar
Dimension (LxWxH): 221x75x75 mm
Weight: 0,579 kg
Part-No.: 2837810050

Made in Germany

Product codes:

Reference: 2837810050
EAN13: 4251692915745

Product description:

Multiplex sight glass combi with indicator

Technical data of the combination:

- Temperature range: -40°C to +100°C
- Max. operating pressure: 60 bar
- Approved refrigerants: HFC / HFO / PFC / CFC / HC / R744 / R290 NO NH3 containing refrigerants
- Type FI: Indicates the level of moisture in the refrigerant.
- Large visible surface in all versions, with and without indicator. High temperature and pressure resistance.

Technical details of the filter drier:

- Filter drier for liquid refrigerants, optimum mixture of molecular sieve and activated aluminium oxide
- High water absorption capacity
- High acid absorption capacity
- Ultra-fine filtration up to 15 micron
- Steel housing
- Closed design

- 3-fold filtration through granulate block, filter fleece and brass mesh filter
- CE marking according to PED 97/23 EC not required

Technical details of the sight glass:

Sight glass housing material: brass (acc DIN EN12164)

Typ FI: Indicates the lack of cooling agent in the refrigeration system. Large visible surface in all versions.

Product features:

Material design: Brass

Material design: Steel

Connection type: Flare


Connection: 5/8"-18UNF

Pressure range: 60 bar

Fits: Ø 10mm

Fits: 3/8"

Product attributes:




Schauglas / Sight glass

Grün = trocken

Green = dry

Gelb = feucht

Yellow = moisture



HANSA 2837810050