

HANSA Filter drier sight glass combination HM083 SG 5/8"-18UNF HMK 2837910050



Product short description:

Filter drier sight glass combination HM083 SG
flare connection 5/8"-18UNF fits tube size 10
mm | 3/8"

Operation pressure 60 bar

Dimension (LxWxH): 221x75x75 mm

Weight: 0,569 kg

Part-No.: 2837910050

Made in Germany

Product codes:

Reference: 2837910050

EAN13: 4251692915776

Product description:

Multiplex sight glass combi with indicator

Filter drier for liquid refrigerants, optimum mixture of molecular sieve and activated aluminium oxide

Technical details of the filter drier:

- Temperature range: -40°C +120°C
- Max. operating pressure: 60 bar
- High water absorption capacity
- High acid absorption capacity
- Ultra-fine filtration up to 15 micron
- Steel housing
- Closed design
- 3-fold filtration through granulate block, filter fleece and brass mesh filter
- CE marking according to PED 97/23 EC not required
- R290 Propane suitable: yes
- R744 CO2 suitable: yes

Approved refrigerants: HFC / PFC / CFC / HC / R744 / R290

except of NH3 containing refrigerants.

Sight glass housing material: brass (acc DIN EN12164)

Typ SG: Indicates the lack of cooling agent in the refrigeration system. Large visible surface in all versions.

Product features:

Material design: Brass

Material design: Steel


Connection type: Flare

Connection: 5/8"-18UNF

Fits: Ø 10mm

Fits: 3/8"

Product attributes:



HANSA 2837910050