

HANSA Filter drier sight glass combination w indicator HM163 FI 5/8"-18UNF HMK 2838810050



Product short description:

Filter drier sight glass combination with indicator HM163 FI 10 mm | 3/8" 60 bar

Dimension (LxWxH): 221x75x75 mm

Weight: 0,927 kg

Part-No.: 2838810050

Made in Germany

Product codes:

Reference: 2838810050

EAN13: 4251692915806

Product description:

Multiplex sight glass combi with indicator

Filter drier for liquid refrigerants, optimum mixture of molecular sieve and activated aluminium oxide
Technical details of the filter drier:

- Temperature range: -40°C +120°C
- Max. operating pressure: 60 bar
- High water absorption capacity
- High acid absorption capacity
- Ultra-fine filtration up to 15 micron
- Steel housing
- Closed design
- 3-fold filtration through granulate block, filter fleece and brass mesh filter
- CE marking according to PED 97/23 EC not required
- R290 Propane suitable: yes
- R744 CO2 suitable: yes

Approved refrigerants: HFC / PFC / CFC / HC / R744 / R290 except of NH3 containing refrigerants.

Sight glass housing material: brass (acc DIN EN12164) Typ FI: Indicates the lack of cooling agent

in the refrigeration system plus a warning for moisture in the refrigerant. Large visible surface in all versions.

Product features:

Material design: Brass

Material design: Steel


Connection type: Flare

Connection: 5/8"-18UNF

Dimension:

Country of origin: DE

Product attributes:



HANSA 2838810050